

Qualifying Gas Fireplace Models
Residential and Existing Multifamily
Effective January 1st, 2021



\$250 for fireplace efficiency, FE¹, rating of 75 percent or greater with electronic pilot light ignition.

Manufacturer	Model	FE%
Ambiance	UF0(100 or 110)	76.4
Archgard	24-DVRS25NB(-2 or N-2)	75
Archgard	35-DVRS31NB-2	75.4
Archgard	35-DVRS31NBN-2	75.4
Archgard	41-DVTE36L(N or P) -1	75.6
Archgard	36-DVIE40L(P or N) -1	77
Empire	DVCT35CBN95KN	75
Empire	DVCT30CBN95KN	75.8
Enviro	EX32	75
Fireplace Xtrordinaire	DVLGSR2	75.21
Fireplace Xtrordinaire	DVSEGGSR2	75.22
Fireplace Xtrordinaire	33DVIGS2	75.41
Fireplace Xtrordinaire	31DVIGS2	75.48
Fireplace Xtrordinaire	564GSR235K (or CF)	75.07
Fireplace Xtrordinaire	PROBUILDER36CFGS(B or R)2	75.75
Fireplace Xtrordinaire	DVSGSR2	76.17
Heat & Glo	TIARAI- (BK or BR or CES) - IPI	76
Heat & Glo	COSMO-I30-C	77.2
Jøtul	GF500DV(MV or IPI)	76.01
Kozy Heat	SFD-36	77.5
Kozy Heat	BAY-41- (L, G, LE, or BW)	76.16
Leo	LEO100LP	78.34
Leo	LEO100L	77.98
Leo	LEO100	77.21
Leo	LEO200L	75.06
Lopi	31DVIGS2	75.48
Lopi	33DVIGS2	75.41
Lopi	DVSEGGSR2	75.22
Lopi	DVLGSR2	75.21
Lopi	DVSGSR2	76.17

Manufacturer	Model	FE%
Lopi	RADIANTPLUSLARGEGB2	75.17
Lopi	RADIANTPLUSMALLGB2	75.15
Lopi	RADIANTPLUSMEDIUMGB2	75.11
Mendota	ML72 TIMBERLINE/DECOR	81
Mendota	FV(34, 41, 44) (ARCH)FULLVIEW	77
Mendota	ML39 TIMBERLINE/DECOR	76
Mendota	DXV-35-CDT4-LX	76
Mendota	DXV45 DT4 LX	75
Mendota	DXV35 DT4 LX	76
Mendota	DXV45-CDT4-LX	76.66
Mendota	ML39	76.2
Mendota	FV34-C	76.76
Mendota	FV41-ARCH	76.19
Mendota	FV42-C	75.88
Mendota	FV41-C	75.11
Mendota	FV42	75.46
Mendota	FV(36, 42 OR 48) FULLVIEW	75
Mendota	FV44I-C	77.29
Mendota	FV48-C	75.53
Montigo	D4815(STNI-2 or NI-2)	76.85
Montigo	DL4815(STNI or NI)	77.49
Montigo	30FID-S-N-F	78.8
Montigo	30FID-L-N-F	77.6
Montigo	34FID-L-N-F	77.4
Montigo	34FID-S-N-F	81.1
Ortal ²	<i>Contact us for qualifying models</i>	
Pacific Energy	TOFINOI40S	77.6
Quadra-Fire	SAPH-MBK-IPI	76
Quadra-Fire	SAPH-D-PMH-IPI	76
Quadra-Fire	SAPH-D-MBK-IPI	76
Quadra-Fire	SAPH-D-CSB-IPI	76
RHPeterson CO.	D1-30F-11-31N	75.8

¹Fireplace efficiency, FE, is a measure of a fireplace's energy efficiency performance over an entire heating season and is expressed as a percentage. The higher the rating, the more efficient the unit. Fireplace Efficiency rating is based on the Canadian Standards Association or CSA-P.4 method

²If your model is not listed but meets the appropriate FE and pilot light requirements, it may qualify for an Energy Trust incentive. If you have questions about model eligibility, please contact us at residential@energytrust.org for single family homes, and multifamily@energytrust.org for duplex, triplex, fourplex, townhome or side-by-side buildings.

Qualifying Gas Fireplace Models
Residential and Existing Multifamily
Effective January 1st, 2021



\$150 for fireplace efficiency, FE*, rating of 70-74.9 percent or greater with electronic pilot light ignition.

Manufacturer	Model	FE%
Acadia	AH6113LFP	70
Ambiance	UF06(0 or 1)0	71.9
Ambiance	UF05(0 or 1)0-1	71.9
Ambiance	UF0505	71.2
Ambiance	UF0200	71.13
Ambiance	UF0205	70.46
Archgard	31-DVIE33- (CN-2 or LN-2)	73.1
Archgard	31-DVIE33- (CN-3 or LN-3)	73.07
Archgard	57-DVRS50N	72.7
Archgard	27-DVIE22N-2	70.7
Archgard	37-DVTE30(LP-1 or LN-1)	70.21
Archgard	41-DVTE41(LP-2 or LN-1)	70.08
Ashley	AG61LFP	70
Breckwell	BH6113LFP	70
Continental	CDVS500-1E	70.9
Element 4	14(240SERIES)	74.42
Element 4	20(185SERIES)	71.33
Element 4	E4-25 (NEWSERIES)	72.96
Element 4	E4-24(NEWSERIES)	72.36
Element 4	E4-23(NEWSERIES)	72.06
Element 4	E4-21(NEWSERIES)	71.86
Element 4	E4-9(NEWSERIES)	71.42
Element 4	E4-7(NEWSERIES)	71.35
Element 4	E4-1(NEWSERIES)	71.31
Empire	DVCP36PP70KN	70.1
Empire	DVCT36CBP95KN	74.8
Empire	DVCT40CBP95KN	70.7
Empire	DVLL60BP90KN	72.6
Empire	DVCT50CBP95KN	73.4
Empire	DVC20IN71KN	70.6
Empire	DVC26IN71KN	70
Empire	DVC28IN71KN	72.6
Enviro	Q1(CI, GI, or LI)	74.45
Enviro	S(20 or 30)	71.39

Manufacturer	Model	FE%
Enviro	Q1(C or G or L)	71.39
Enviro	EX35	74.11
Enviro	G50(GI or LI)	72.84
Enviro	E30(I or GI)	71.4
Enviro	E33(I or GI)	71.13
Fireplace Xtrordinaire	864STGS2	74.55
Fireplace Xtrordinaire	430GSR2	73.77
Fireplace Xtrordinaire	DVLEGGSR2	72.81
Fireplace Xtrordinaire	864TV40K (or CF)	72.59
Fireplace Xtrordinaire	4415HOSTGSR2	71.5
Fireplace Xtrordinaire	864TRVGS2(or CF)	71.48
Fireplace Xtrordinaire	616GSR2	71.19
Fireplace Xtrordinaire	564GSR225K(or CF)	70.28
Fireplace Xtrordinaire	564SSGS2(or CF)	70.46
Fireplace Xtrordinaire	PROBUILDER42CFGSR2	70.11
Fireplace Xtrordinaire	PROBUILDER24CFGS(B2 or R2)	70.1
HearthStone	STOWE8323	73.84
Heat & Glo	PROV-I35-IPI	74.8
Heat & Glo	ESCAPE-35-IFT	72.9
Heat & Glo	COSMO-I35-C	72.9
Heat & Glo	COSMO-I35-IFT	72
Heat & Glo	SUPREME-I35-IFT	71.6
Heat & Glo	PALOMA- (BK, BZ, or YG) - MOD	71
Heat & Glo	SUPREME-I30-IFT	70.9
Heat & Glo	ESCAPE-I30-F	70.7

¹Fireplace efficiency, FE, is a measure of a fireplace's energy efficiency performance over an entire heating season and is expressed as a percentage. The higher the rating, the more efficient the unit. Fireplace Efficiency rating is based on the Canadian Standards Association or CSA-P.4 method

²If your model is not listed but meets the appropriate FE and pilot light requirements, it may qualify for an Energy Trust incentive. If you have questions about model eligibility, please contact us at residential@energytrust.org for single family homes, and multifamily@energytrust.org for duplex, triplex, fourplex, townhome or side-by-side buildings.

Qualifying Gas Fireplace Models
Residential and Existing Multifamily
Effective January 1st, 2021



Manufacturer	Model	FE%
Heatilator	NDI30-C	72.7
Heatilator	NDI35-C	72.2
Innovative Hearth Products	BELLEVUE27	73
Innovative Hearth Products	DRI2027TEN	73
Jøtul	GF200DVIIMV	73.63
Jøtul	GF370DVII	71.14
Jøtul	GI450DVII	70.05
Kingsman Fireplaces	VRB46NE	70.65
Kingsman Fireplaces	HBZDV4228NE	70.16
Kozy Heat	SP-34-LE	74.57
Kozy Heat	SP-34-MV	73.74
Kozy Heat	SP-41-MV	73.46
Kozy Heat	SP-41- (L or LE)	74.05
Kozy Heat	ALP-36S	73.81
Kozy Heat	CLW-72	73.77
Kozy Heat	CLW-50	73.49
Kozy Heat	SLA-60	73.31
Kozy Heat	CSK-34- (R, G, or L)	73.22
Kozy Heat	CSK-29- (L or R)	72.27
Kozy Heat	CSK-29-MV	71.26
Kozy Heat	SLA-42S	72.21
Kozy Heat	OAK-18-MV	70.54
Kozy Heat	OAK-18-LE	71.71
Kozy Heat	CSK-25	71.44
Kozy Heat	CLW-40	71.32
Kozy Heat	CAR-46	70.74
Kozy Heat	RVT-34- (L, BW, or BAK)	70.68
Kozy Heat	RVT-29- (L, BW, or BAK)	70.09
Leo	LEO200	73.97
Leo	LEO200LP	73.63

Manufacturer	Model	FE%
Lopi	430GSR2	73.77
Lopi	616GSR2	71.19
Lopi	BERKSHIREGS2	70.82
Lopi	GREENFIELDGS2	70.55
Lopi	CYPRESSGS2	70.37
Lopi	DVLEGGSR2	72.81
Majestic	MDVI35IN	72
Majestic	RUBY35I	71.6
Majestic	RUBY30I	70.9
Majestic	MDVI30IN	70
Mendota	FV34-ARCH	73.25
Mendota	ML54 TIMBERLINE/DECOR	70
Mendota	ML47	70.77
Mendota	ML47 TIMBERLINE/DECOR	71
Mendota	FV33i FULLVIEW	71
Mendota	(FV36 or ML60) TIMBERLINE/DECOR	72
Mendota	FV46 FULLVIEW	72
Mendota	FV33i TIMBERLINE/DECOR	72
Mendota	FV44i TIMBERLINE/DECOR	73
Mendota	FV(34 or 41) TIMBERLINE/DECOR	74
Mendota	FV(34 OR 41) (ARCH) FULLVIEW	74.5
Mendota	ML54-C	70.7
Mendota	ML60-C	72.74
Mendota	FV46-C	71.92
Mendota	FV33i-C	70.86
Mendota	FV36-C	74.43
Mendota	FV34-CDECOR	73.47
Mendota	FV36-CDECOR	71.72
Mendota	FV33i-CDÉCOR	72.33
Mendota	FV44i-CDÉCOR	73.19
Montigo	D3615 (NI or STNI-2)	71.96
Montigo	D7215NI-2	73.86

¹Fireplace efficiency, FE, is a measure of a fireplace's energy efficiency performance over an entire heating season and is expressed as a percentage. The higher the rating, the more efficient the unit. Fireplace Efficiency rating is based on the Canadian Standards Association or CSA-P.4 method

²If your model is not listed but meets the appropriate FE and pilot light requirements, it may qualify for an Energy Trust incentive. If you have questions about model eligibility, please contact us at residential@energytrust.org for single family homes, and multifamily@energytrust.org for duplex, triplex, fourplex, townhome or side-by-side buildings.

Qualifying Gas Fireplace Models
Residential and Existing Multifamily
Effective January 1st, 2021



Manufacturer	Model	FE%
Montigo	D7215STNI-2	73.96
Montigo	DL3615 (NI or STNI)	74.63
Montigo	DRL3613NI (-2)	71
Napoleon	GDS50-1E	70.9
Nolafire	NF (30 or 30GI)	71.4
Ortal ²	<i>Contact us for qualifying models</i>	
Pacific Energy	TOFINOI40M	74.4
Pacific Energy	TRENTON	74.4
Pacific Energy	TOFINOI30S	74.1
Pacific Energy	TOFINOI30M	72.9
Pacific Energy	TOFINOI20S	72.8
Pacific Energy	GMIR.BODYA	72.5
Pacific Energy	ESPRIT	72.1
Pacific Energy	TOFINOZ35	72.1
Pacific Energy	TOFINOI20M	71.8
Pacific Energy	G958	70.9
Pacific Energy	MIRAGE18	70.9
Majestic	RUBY35I	71.6
Quadra-Fire	QFI35FB- (C or IFT)	72.9
Quadra-Fire	QFI30-C	72.7
Quadra-Fire	QFI35-C	72.2
Quadra-Fire	EXCURSION-II	70.9
Quadra-Fire	EXCURSION-III	71.6
Quadra-Fire	PALOMA-MOD	70.8
Quadra-Fire	QFI30FB- (C or IFT)	70.7
Regency	U39E(B or N) -NG11	71.82
Regency	U39E(B or N) -NG12	73.45
Regency	P90E-NG11	71.36

Manufacturer	Model	FE%
Regency	H35(1, 5 or 7)E-NG11	70.86
Regency	H35(1,5 or 7) -NG10	70.86
Regency	(H or L)RI6E-NG	70.37
Regency	(H or L)RI6E-NG11	70.37
Regency	(L or H)RI4E-NG11	70.27
Regency	(L or H)RI4E-NG	70.27
Regency Fireplace Products	(H or L)RI4E-NG11	70.27
Regency Fireplace Products	(H or L)RI6E-NG11	70.37
RHPeterson CO.	D1-36F-11-31N	73.97
RHPeterson CO.	D1-25F-11-31N	73.8
RHPeterson CO.	D2-25F-11-31N	72.57
RHPeterson CO.	D2-30F-11-31N	71.9
RHPeterson CO.	DVIC-25I-11-33N	71.62
RHPeterson CO.	DVI-36I-11-33N	71.45
RHPeterson CO.	DVIT-30I-11-33N	71.13
Savannah	WESTWOOD	72.38
True North	TN24	74.4
Valor	1000(J or K)N	72.05
Valor	(534 or 650)JN	71.3
Valor	1400KN	71
Valor	1150JLN	70.95
Valor	700XN	70.4
Valor	739MN	70.3
Valor	530IN	70.2
Valor	RF24JDN-CA	70.03
Valor	780MN	70
Valor	1100JN	70

¹Fireplace efficiency, FE, is a measure of a fireplace's energy efficiency performance over an entire heating season and is expressed as a percentage. The higher the rating, the more efficient the unit. Fireplace Efficiency rating is based on the Canadian Standards Association or CSA-P.4 method

²If your model is not listed but meets the appropriate FE and pilot light requirements, it may qualify for an Energy Trust incentive. If you have questions about model eligibility, please contact us at residential@energytrust.org for single family homes, and multifamily@energytrust.org for duplex, triplex, fourplex, townhome or side-by-side buildings.