

Qualifying Gas Fireplace Models
Residential and Existing Multifamily
Effective July 1st, 2022



\$250 for fireplace efficiency, FE¹, rating of 75 percent or greater with electronic pilot light ignition.

Manufacturer	Model	FE%	Manufacturer	Model	FE%
Ambiance	UF01(10 or 00)	76.4	Mendota	FV41-ARCH	76.68
Archgard	36-DVIE40L(N-1 or P-1)	77	Mendota	DXV45-CDT4-LX	76.66
Archgard	41-DVTE36L(P-1 or N-1)	75.6	Mendota	DXV-45DT4-LX	76.66
Archgard	35-DVRS31NB(N-2 or -2)	75.4	Mendota	DXV-35-CDT4-LX	76
Archgard	24-DVRS25NB(-2 or N-2)	75	Mendota	DXV-35DT4-LX	76
Empire	DVCT30CBN95KN	75.8	Mendota	FV4(2 or 2-C)	75.88
Empire	DVCT35CBN95KN	75	Mendota	FV4(8 or 8-C)	75.53
Escea	NCS5525	80	Mendota	FV4(1 or 1-C)	75.11
Fireplace Xtrordinaire	PROBUILDER36CFGS(B2 or R2)	75.75	Montigo	34FID-S*	81.1
Fireplace Xtrordinaire	DVSEGGSR2	75.22	Montigo	30FID-S*	78.8
Fireplace Xtrordinaire	564GSR235(K or KCF)	75.07	Montigo	30FID-L*	77.6
Heat & Glo	TIARAI-BR-IPI	76	Montigo	34FID-L*	77.4
Heat & Glo	TIARAI-CES-IPI	76	Montigo	D4815(NI-2 or STNI-2)	76.85
Heat & Glo	TIARAI-BK-IPI	76	Ortal ²	<i>Contact us for qualifying models.</i>	
Jøtul	GF500DV(IPI or MV)	76.01	Pacific Energy	TOFINO140S	77.6
Kozy Heat	BAY-41-MV	77.54	RHPeterson CO.	D1-30F-11-31N	75.8
Kozy Heat	SFD-36	77.5			
Kozy Heat	BAY-41-(BW or L or G)	76.16			
Leo	LEO100LP	78.34			
Leo	LEO100L	77.98			
Leo	LEO100	77.21			
Leo	LEO200L	75.06			
Lopi	DVSEGGSR2	75.22			
Lopi	RADIANTPLUSLARGEGB2	75.17			
Lopi	RADIANTPLUSSMALLGB2	75.15			
Lopi	RADIANTPLUSMEDIUMGB2	75.11			
Mendota	ML7(2 or 2-C)	81.41			
Mendota	FV32	78.84			
Mendota	FV44(I or I-C)	77.29			
Mendota	FV3(4 or 4-C)	76.76			
Mendota	ML3(9 OR 9-C)	76.75			

¹Fireplace efficiency, FE, is a measure of a fireplace's energy efficiency performance over an entire heating season and is expressed as a percentage. The higher the rating, the more efficient the unit. Fireplace Efficiency rating is based on the Canadian Standards Association or CSA-P.4 method

²If your model is not listed but meets the appropriate FE and pilot light requirements, it may qualify for an Energy Trust incentive. If you have questions about model eligibility, please contact us at residential@energytrust.org for single family homes, and multifamily@energytrust.org for duplex, triplex, fourplex, townhome or side-by-side buildings.

Qualifying Gas Fireplace Models
Residential and Existing Multifamily
Effective July 1st, 2022



\$150 for fireplace efficiency, FE¹, rating of 70-74.9 percent with electronic pilot light ignition.

Manufacturer	Model	FE%	Manufacturer	Model	FE%
Ambiance	UF06(10 or 00)	71.9	Empire	DVC26IN71KN	70
Ambiance	UF05(10-1 or 00-1)	71.9	Enviro	S20I	74.45
Ambiance	UF0505	71.2	Enviro	Q1(LI or GI)	74.45
Ambiance	UF0200	71.13	Enviro	S30I	74.45
Ambiance	UF0205	70.46	Enviro	S20ID	74.45
Archgard	31-DVIE33(LN-2 or CN-2)	73.1	Enviro	Q1CI	74.45
Archgard	31-DVIE33(CN-3 or LN-3)	73.07	Enviro	EX35	74.11
Archgard	57-DVRS50N	72.7	Enviro	G50(LI or GI or LID)	72.84
Archgard	27-DVIE22N-2	70.7	Enviro	E30(I or GI)	71.4
Archgard	37-DVTE30L(N-1 or P-1)	70.21	Enviro	Q1(G or C)	71.39
Archgard	41-DVTE41L(N-2 or P-2)	70.08	Enviro	S(20 or 30)	71.39
Ashley	AG2(3 or 3P)	71	Enviro	Q1L	71.39
Ashley	AG61LFP	70	Enviro	E33(I or GI)	71.13
Breckwell	BH23	71	Fireplace Xtrordinaire	430MOD-FYREGSR2	73.77
Breckwell	BH6113LFP	70	Fireplace Xtrordinaire	430GSR2	73.77
Continental	CDVS500(E or -#E*)	70.9	Fireplace Xtrordinaire	DVLEGGSR2	72.81
Element 4	14(240SERIES)	74.42	Fireplace Xtrordinaire	864TV(40K or 40KCF or GS2CF)	72.59
Element 4	E4-25(NEWSERIES)	72.96	Fireplace Xtrordinaire	864TVGS2	72.59
Element 4	E4-24(NEWSERIES)	72.36	Fireplace Xtrordinaire	4415HOSTGSR2	71.5
Element 4	E4-23(NEWSERIES)	72.06	Fireplace Xtrordinaire	864TRVGS(2CF or 2)	71.48
Element 4	E4-21(NEWSERIES)	71.86	Fireplace Xtrordinaire	616GSR2	71.19
Element 4	E4-9(NEWSERIES)	71.42	Fireplace Xtrordinaire	616MOD-FYREGSR2	71.19
Element 4	E4-7(NEWSERIES)	71.35	Fireplace Xtrordinaire	564GSR225(K or KCF)	70.28
Element 4	20(185SERIES)	71.33	Fireplace Xtrordinaire	PROBUILDER42CFGSR2	70.11
Element 4	E4-1(NEWSERIES)	71.31	Fireplace Xtrordinaire	PROBUILDER24CFG(B2 or R2)	70.1
Empire	DVCT36CBP95KN	74.8	Heat & Glo	PROV-I35-IPI	74.8
Empire	DVCT50CBP95KN	73.4	Heat & Glo	ESCAPE-35-IFT	72.9
Empire	DVC28IN71KN	72.6	Heat & Glo	COSMO-I35-IFT	72
Empire	DVLL60BP90KN	72.6	Heat & Glo	SUPREME-I35-IFT	71.6
Empire	DVCT40CBP95KN	70.7	Heat & Glo	PALOMA-BZ-MOD	71
Empire	DVC20IN71KN	70.6	Heat & Glo	PALOMA-GY-MOD	71
Empire	DVCP36PP70KN	70.1	Heat & Glo	PALOMA-BK-MOD	71
			Heat & Glo	SUPREME-I30-IFT	70.9
			Heat & Glo	ESCAPE-30-IFT	70.7

¹Fireplace efficiency, FE, is a measure of a fireplace's energy efficiency performance over an entire heating season and is expressed as a percentage. The higher the rating, the more efficient the unit. Fireplace Efficiency rating is based on the Canadian Standards Association or CSA-P.4 method

²If your model is not listed but meets the appropriate FE and pilot light requirements, it may qualify for an Energy Trust incentive. If you have questions about model eligibility, please contact us at residential@energytrust.org for single family homes, and multifamily@energytrust.org for duplex, triplex, fourplex, townhome or side-by-side buildings.

Qualifying Gas Fireplace Models
Residential and Existing Multifamily
Effective July 1st, 2022



Manufacturer	Model	FE%
Heatilator	NDI30-C	72.7
Heatilator	NDI35-C	72.2
Innovative Hearth Products	BELLEVUE27	73
Innovative Hearth Products	DRI2027TEN	73
Jøtul	GF200DVIIIMV	73.63
Jøtul	GF370DV(MV or II)	71.14
Kingsman Fireplaces	VRB46NE	70.65
Kingsman Fireplaces	HBZDV4228NE	70.16
Kozy Heat	SP-34-LE	74.57
Kozy Heat	SP-41-(L or LE)	74.05
Kozy Heat	ALP-36S	73.81
Kozy Heat	CLW-72	73.77
Kozy Heat	SP-34-MV	73.74
Kozy Heat	CLW-5(0 or 0-MV)	73.49
Kozy Heat	SP-41-MV	73.46
Kozy Heat	SLA-60	73.31
Kozy Heat	CSK-34-(G or R or L)	73.22
Kozy Heat	CLW-ST	72.52
Kozy Heat	CSK-29-(L or R)	72.27
Kozy Heat	SLA-42S	72.21
Kozy Heat	OAK-18-LE	71.71
Kozy Heat	CSK-25	71.44
Kozy Heat	CLW-40	71.32
Kozy Heat	CSK-29-MV	71.26
Kozy Heat	CAR-46	70.74
Kozy Heat	RVT-34-(BW or L)	70.68
Kozy Heat	OAK-18-MV	70.54
Kozy Heat	RVT-29-(BW or L)	70.09
Leo	LEO200	73.97
Leo	LEO200LP	73.63
Lopi	430MOD-FYREGSR2	73.77
Lopi	430GSR2	73.77
Lopi	DVLEGGSR2	72.81
Lopi	616GSR2	71.19

Manufacturer	Model	FE%
Lopi	616MOD-FYREGSR2	71.19
Lopi	BERKSHIREGS2	70.82
Lopi	BERKSHIREGSR2	70.82
Lopi	GREENFIELDGS2	70.55
Lopi	GREENFIELDGSR2	70.55
Lopi	CYPRESSGS2	70.37
Majestic	RUBY35I	71.6
Majestic	RUBY30I	70.9
Mendota	FV3(6 or 6-C)	74.43
Mendota	FV41-DÉCOR	74.01
Mendota	FV34-ARCH	73.84
Mendota	FV34-CDECOR	73.47
Mendota	FV34DÉCOR	73.47
Mendota	FV44I-DÉCOR	73.19
Mendota	FV44I-CDÉCOR	73.19
Mendota	ML6(0 or 0-C)	72.74
Mendota	FV33IDÉCOR	72.33
Mendota	FV33I-CDÉCOR	72.33
Mendota	FV4(6 or 6-C)	71.92
Mendota	FV36DÉCOR	71.72
Mendota	FV36-CDECOR	71.72
Mendota	ML4(7 or 7-C)	71.19
Mendota	FV33(I or I-C)	70.86
Mendota	ML5(4 or 4-C)	70.7
Montigo	D7215STNI-2	73.96
Montigo	D7215NI-2	73.86
Montigo	D3615(NI-2 or STNI-2)	71.96
Montigo	DRL3613N(I or I-2)	71
Napoleon	GDS50(E or -#E*)	70.9
Nolafire	NF3(0 or 0GI)	71.4
Pacific Energy	TRENTON	74.4
Pacific Energy	TOFINOI40M	74.4
Pacific Energy	TOFINOI30S	74.1

¹Fireplace efficiency, FE, is a measure of a fireplace's energy efficiency performance over an entire heating season and is expressed as a percentage. The higher the rating, the more efficient the unit. Fireplace Efficiency rating is based on the Canadian Standards Association or CSA-P.4 method

²If your model is not listed but meets the appropriate FE and pilot light requirements, it may qualify for an Energy Trust incentive. If you have questions about model eligibility, please contact us at residential@energytrust.org for single family homes, and multifamily@energytrust.org for duplex, triplex, fourplex, townhome or side-by-side buildings.

Qualifying Gas Fireplace Models
Residential and Existing Multifamily
Effective July 1st, 2022



Manufacturer	Model	FE%
Pacific Energy	TOFINOI30M	72.9
Pacific Energy	TOFINOI20S	72.8
Pacific Energy	GMIR.BODYA	72.5
Pacific Energy	TOFINOZ35	72.1
Pacific Energy	ESPRIT	72.1
Pacific Energy	TOFINOI20M	71.8
Pacific Energy	TOFINOZ25	71.7
Pacific Energy	G958	70.9
Pacific Energy	MIRAGE18	70.9
Quadra-Fire	QFI35FB-IFT	72.9
Quadra-Fire	EXCURSION-III	71.6
Quadra-Fire	EXCURSION-II	70.9
Quadra-Fire	PALOMA-MOD	70.8
Quadra-Fire	QFI30FB-IFT	70.7
Regency	U39EN-NG12	73.45
Regency	U39EB-NG12	73.45
Regency	U39EB-NG11	71.82
Regency	U39EN-NG11	71.82
Regency	P90E-NG11	71.36
Regency	H357E-NG11	70.86
Regency	H355E-NG11	70.86
Regency	H351E-NG11	70.86
Regency	LRI6E-N(G or G11)	70.37
Regency	HRI6E-NG11	70.37
Regency	LRI4E-N(G or G11)	70.27
Regency	HRI4E-NG11	70.27
RHPeterson CO.	D1-36F-11-31N	73.97
RHPeterson CO.	D1-25F-11-31N	73.8
RHPeterson CO.	D2-25F-11-31N	72.57
RHPeterson CO.	D2-30F-11-31N	71.9
RHPeterson CO.	DVIC-25I-11-33N	71.62
RHPeterson CO.	DVI-36I-11-33N	71.45
RHPeterson CO.	DVIT-30I-11-33N	71.13

Manufacturer	Model	FE%
Savannah	WESTWOOD	72.38
Timberwolf	TDS50(N or E)	70.9
True North	TN24	74.4
Valor	1000KN	72.05
Valor	534JN	71.3
Valor	650JN	71.3
Valor	1400KN	71
Valor	1100MN	70.95
Valor	700XN	70.4
Valor	739MN	70.3
Valor	530IN	70.2
Valor	RF24JDN-CA	70.03
Valor	785YN	70.02
Valor	780MN	70
Valor	700MN	70
Valor	MF28JN	70

¹Fireplace efficiency, FE, is a measure of a fireplace's energy efficiency performance over an entire heating season and is expressed as a percentage. The higher the rating, the more efficient the unit. Fireplace Efficiency rating is based on the Canadian Standards Association or CSA-P.4 method

²If your model is not listed but meets the appropriate FE and pilot light requirements, it may qualify for an Energy Trust incentive. If you have questions about model eligibility, please contact us at residential@energytrust.org for single family homes, and multifamily@energytrust.org for duplex, triplex, fourplex, townhome or side-by-side buildings.